

References

- Bannerman, R.T., Baun, K., Bohn, M., Hughes, P.E., and Graczyk, D.A. 1983. *Evaluation of Urban Nonpoint Source Pollution Management in Milwaukee County, Wisconsin—Volume I, Urban Stormwater Characteristics, Pollutant Sources and Management by Street Sweeping*: U.S. Environmental Protection Agency, Water Planning Division, PB-84-114164, 191 p.
- Barr Engineering Co. 2001. *Grass Lake Watershed Management Organization Watershed Management Plan*. Prepared for the Grass Lake Watershed Management Organization.
- Barr Engineering Co. 2001. *Big Lake Protection Grant LTP-67: Big Lake Macrophyte Management Plant Implementation*. Volume I: Report. Prepared for Church Pine, Round, and Big Lake Protection and Rehabilitation District.
- Barr Engineering Co. December 1992. *Minneapolis Chain of Lakes Clean Water Partnership Project. Stormwater Monitoring Study*.
- Barr Engineering Co. January 1991. *Water Quality Management Alternatives: A Report on the Diagnostic Feasibility Study of Lake Owasso, Lake Wabasso, and Snail Lake (Ramsey County, Minnesota)*. Prepared for the GLWMO and the Cities of Roseville and Shoreview, MN
- Barten, J. 1995. *Quantity and Quality of Runoff from Four Golf Course in the Twin Cities Metropolitan Area*. Report to the Legislative Commission on Minnesota Resources.
- Barten, J. and E. Jahnke 1997. *Suburban Lawn Runoff Water Quality in the Twin Cities Metropolitan Area, 1996 and 1997*.
- Burns, C. 1968. "The Relationship Between Body Size of Filter-Feeding Cladocera and the Maximum Size of the Particle Ingested." *Limnology and Oceanography*, 13, 675-678.
- Burns, C. 1969. "Relation between filtering rate, temperature, and body size of four species of *Daphnia*". *Limnology and Oceanography*, 14, 693-700.
- Carlson, R. 1977. "A Trophic Status Index for Lakes." *Limnology Oceanography* 22(2): 361-9.
- Catling, P.M. and I. Dobson. 1985. *The Biology of Canadian Weeds*. 69. *Potamogeton crispus* L. Can. J. Plant Sci. Rev. Can. Phytotechnie. Ottawa: Agricultural Institute of Canada, 65 (3): 655-668.
- Chapra, Steven C. 1975 Comment on: "An empirical method of estimating the retention of phosphorus in lakes," by W.B. Kirchner and P.J. Dillion. *Water Resources Res.* 1003-4.
- Cooke, G.D., E.B. Welch, S.A. Peterson, and P.R. Newroth. 1993. *Restoration and Management of Lakes and Reservoirs*, Second Edition. Lewis Publishers, Boca Raton, FL. 548 pp.
- Dillon, P.J. and F.H. Rigler. 1974. "A test of a simple nutrient budget model predicting the phosphorus concentrations in lake water." *J. Fish. Res. Bd. Can.* 31: 1771-1778.
- Frodge, J. D., Thomas, G. L., and Pauley, G. B. 1991. Sediment Phosphorus Loading Beneath Dense Canopies of Aquatic Macrophytes." *Lake and Reserv. Manage.* 7, 61-71.

- Frodge, J.D., Marino, D. A., Pauley, G. B., and Thomas, G. L. 1995. "Mortality of Largemouth Bass (*Micropterus salmoides*) and Steelhead Trout (*Oncorhynchus mykiss*) in Densely Vegetated Littoral Areas Tested Using an In Situ Bioassay." *Lake and Reserv. Manage.* 11, 343-58.
- Garn, H. S. 2002. *Effects of Lawn Fertilizer on Nutrient Concentration I Runoff from Lakeshore Lawns, Lauderdale Lake, Wisconsin.* USGS Water-Resources Investigations Report 02-4130.
- Getsinger, K.D., J.D. Madsen, T.J. Koschnik, M.D. Netherland, R.M. Stewert, D.R. Honnell, A.G. Staddon, and C.S. Ownes. 2001. *Whole-Lake Applications of Sonar for Selective Control of Eurasian Watermilfoil.* Tech. Rep. ERDCIEL TR-01-7, U.S. Army Eng. Res. Devel. Center, Bicksburg, MS. 50 pp.
- Heiskary, S.A. and E. Swain. 2002. *Water Quality Reconstruction from Fossil Diatoms: Applications for Trend Assessment, Model Verification, and Development of Nutrient Criteria for Lakes in Minnesota, USA.* Minnesota Pollution Control Agency. Environmental Outcomes Division.
- Heiskary, S.A. and J.L. Lindbloom. 1993. *Lake Water Quality Trends in Minnesota.* Minnesota Pollution Control Agency. Water Quality Division.
- Heiskary, S.A. and C.B. Wilson. 1990. *Minnesota Lake Water Quality Assessment Report, Second Edition. A Practical Guide for Lake Managers.* Minnesota Pollution Control Agency.
- Huber, W.C. and R.E. Dickinson. 1988. *Storm Water Management Model, Version 4: User's Manual.* Environmental Research Laboratory, USEPA, Athens, Georgia.
- Huser, B.J., Brezonik, P.L. and Newman, R.M. 2009. Alum treatment effects on water quality and sediment in the Minneapolis Chain of Lakes, Minnesota, USA. *Lake and Reserv. Manage.* Submitted.
- I.E.P., Inc. 1990. P8 Urban Catchment Model. Version 2.4. Prepared for the Narragansett Bay Project. Providence, Rhode Island.
- Jacoby, J.M., D.D. Bouchard, and C.R. Patmont. 1991. "Response of periphyton to nutrient enrichment in Lake Chelan, WA." *Lake and Reservoir Management*, Vol. 7, No. 1. p. 33-43.
- James, W.F., Barko, J.W., and Eakin, H.L. 2001. *Direct and Indirect Impacts of Submersed Aquatic Vegetation on the Nutrient Budget of an Urban Oxbow Lake.* APCRP Technical Notes Collection (ERDV TN-APCRP-EA-02), U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- Keast, A. 1984. "The Introduced Macrophyte, *Myriophyllum spicatum*, as a Habitat for Fish and Their Invertebrate Prey". *Can. J. Zool.* 62, 1289-1303.
- Krull, J. N. 1970. "Aquatic Plant-Invertebrate Associations and Waterfowl". *J. Wildl. Manage.* 34, 707-18.
- LaMarra, V.J., Jr. 1975. "Digestive activities of carp as a major contributor to the nutrient loading of lakes." *Verh. Int. Verein. Limnol.* 19: 2461-2468.

- Lillie, R. A., and Budd, J. 1992. "Habitat Architecture of *Myriophyllum spicatum* as an Index to Habitat Quality for Fish and Macroinvertebrates." *J. Freshwat. Ecol.* 7, 113-25.
- Lombardo P. and P.G. Cooke. 2003. "Ceratophyllum demersum – phosphorus interactions in nutrient enriched aquaria". *Hydrobiologia.* 497(1-3): 79-90.
- Madsen, J.D. and W., Crowell. 2002. *Curlyleaf Pondweed (Potamogeton crispus L.)* Lakeline. Spring 2002. 31 32.
- McComas, S., and J. Stuckert. 2000. "Pre-emptive Cutting as a Control Technique for Nuisance Growth of Curly-leaf Pondweed, *Potamogeton crispus*". *Verh. Internat. Verein Limnol.* 27:2024-2051.
- McComas, S. 2007. Personal communication – Harvester Access Cost.
- MetCouncil. Ramsey County Digital Soils map based on NRCS *Ramsey County Soil Survey*.
- Minnesota Department of Natural Resources. 2001. *Lake Survey Report for Lake Owasso*.
- Minnesota Pollution Control Agency (MPCA). 2005. *Minnesota Lake Water Quality Report: Developing Nutrient Criteria*. Third Edition. Written and prepared by Steven A. Heiskary and C. Bruce Wilson.
- Minnesota Pollution Control Agency (MPCA). 1989. *Protecting Water Quality in Urban Areas*.
- Moore, L., and K. Thornton, (Eds.). 1988. *Lake and Reservoir Restoration Guidance Manual*. EPA 440/5-88-002
- Moyle, J.B. and N. Hotchkiss. 1945. *The Aquatic and Marsh Vegetation of Minnesota and its Value to Waterfowl*. Minnesota Department of Conservation Technical Bulletin No. 3, 122 p.
- Newman, Ray. May, 2004. *Lake data in LCMR 2001 Final Report*. University of Minnesota.
- Nürnberg, G.K. 1984. The prediction of internal phosphorus loads in lakes with anoxic hypolimnia. *Limnol. Oceanogr* 29(1): 111-124.
- Osgood, R.A. 2000. *Lake Owasso Management Plan*. Prepared for Ramsey County.
- Osgood, R.A. 1989. *Assessment of Lake Use-Impairment in the Twin Cities Metropolitan Area*. Prepared for the Minnesota Pollution Control Agency. Metropolitan Council Publication 590-89-130. 12 pp.
- Ozimek, T., R.D. Gulati, and E. Van Donk. 1990. "Can macrophytes be useful in biomanipulation of lakes? The Lake Zwemlust Example." *Hydrobiologia* 200/201, 399-407.
- Pilgrim, K.M., B.J. Huser, and P.L. Brezonik. 2007. "A method for comparative evaluation of whole-lake and inflow alum treatment." *Water Research* 41: 1215-1224.
- Psenner, R., B. Bostrom, M. Dinka, K. Pettersson, R. Puckso, and M. Sager. 1988. "Fractionation of phosphorus in suspected matter and sediment." *Arch. Hydrobiol. Suppl.* 30: 98-103.

- Pullmann. 1992. *The Lake Association Leader and Aquatic Vegetation Management Guidance Manual*.
- Prepas, E.E., J. Babin, T.P. Murphy, P.A. Chambers, G.J. Sandland, A. Ghadouanis, and M. Serediak. 2001. "Long-term Effects of Successive Ca(OH)₂ and CaCO₃ Treatments on the Water Quality of Two Eutrophic Hardwater Lakes." *Freshwater Biology*. 46:1089-1103.
- Ramsey County Staff, January 8, 2009. Personal communication.
- Ramsey County Department of Public Works, Environmental Services Division. 1988. *Phalen Chain of Lakes Restoration Project*. EPA Project No. S-500-5678.
- Reavie E., J. Smol, and B. Carmichael. 1995. "Post-Settlement eutrophication histories of six British Columbia Lakes." *Can. J. Fish. Aquat. Sci.* 52: 2388-2401.
- Reavie E., R. Hall, and J. Smoll. 1995. "An expanded weight-averaging model for inferring past total phosphorus concentration from diatom assemblages in eutrophic British Columbia lakes." *Jour. Of Paleo H:* 46-67
- Reed, C.F. 1977. "History and Distribution of Eurasian Watermilfoil in United States and Canada." *Phytologia* 36: 417-436.
- Reedyk, S., E.E. Prepas, and P.A. Chambers. 2001. "Effects of Single Ca(OH)₂ Doses on Phosphorus Concentration and Macrophyte Biomass of two Boreal Eutrophic Lakes over 2 Years." *Freshwater Biology*. 46:1075-1087.
- Rhode Island Department of Environmental Management. 1990. *The Land Management Project*.
- Scherer, N.M., H.L. Gibbons, K.B. Stoops, and M. Muller. 1995. "Phosphorus Loading of an Urban Lake by Bird Droppings." *Lake and Reserv. Manage.* 11(4): 317-327. see page 129.
- Schueler, T.R. 1987. *Controlling Urban Runoff: A Practical Manual for Planning and Designing Urban BMPs*. Prepared for Washington Metropolitan Water Resources Planning Board. Metropolitan Washington Council of Governments, Washington, D.C. 275 pp.
- Schupp, D.H. 1992. *An Ecological Classification of Minnesota Lakes with Associated Fish Communities*. Minnesota Department of Natural Resources. Investigational Report 417. 27 pp.
- Shoreview Public Works Director. January 18, 2008. Personal Communication.
- Shoreview. 2009. *Feasibility Study and Report for Woodbridge Street, Owasso Lane East, Jerrold Avenue, Edgewater Avenue, and Soo Street*. City Project 09-01.
- Seki, H., M. Takahashi, and S. Ichimura. 1979. "Impact of nutrient enrichment in a waterchestnut ecosystem at Takahama-Iri Bay of Lake Kasumigaura, Japan." *Water, Air,, Soil Pollut.* 12, 383-391.
- Sorensen, Peter. University of Minnesota. Personal Communication (4/14/2009).
- Stauffer, T.R. 1987. "Vertical Nutrient Transport and its Effects on Epilimnetic Phosphorus in Four Calcareous Lakes." *Hydrobiologia*. 154: 87-102.

- Sweetwater Technology Corp. 1997. *Aluminum Dose Calculation for Applying Alum (or Alum and Sodium Aluminate) to Inactive Phosphorus Release from Lake Bottom Sediments*.
- United States Geological Survey. 2005. *Water-Quality Assessment of Part of the Upper Mississippi River Basin, Minnesota and Wisconsin – Groundwater Quality along a Flow System in the Twin Cities Metropolitan Area, 1997-1998*. Scientific Investigations Report 2005-5120.
- Valley, R.D. and R.M. Newman. 1998. “Competitive Interactions Between Eurasian Watermilfoil and Northern Milfoil in Experimental Tanks.” *Journal of Aquatic Plant Management*. 36(2): 121-126.
- Vighi, M. and Chiaudani, G. 1985. “A Simple Method to Estimate Lake Phosphorus Concentrations Resulting from Natural, Background, Loadings.” *Water Res.* 19(8): 987-991.
- Walker, W.W. 1987. *Phosphorus Removal by Urban Runoff Detention Basins. Lake and Reservoir Management: Volume III*. North American Lake Management Society.
- Walker W.W. 1990. *P8 Urban Catchment Model Documents. Version 1.1*
- Walker W.W. 1997. *P8 Enhancements and Calibrations to Wisconsin Sites*.
- Walker W.W. 2000. *P8 Urban Catchment Model Documents. Version 2.4*
- Welch, E.B. and G.D. Cooke. 1999. “Effectiveness and Longevity of Phosphorus Inactivation with Alum.” *Journal of Lake and Reservoir Management*. 15(1):5-27.
- Wisconsin Department of Natural Resources. 2005. *Wisconsin Lake Modeling Suite (WiLMS)*.